





GLAMOUR

by destiny



GLAMOUR

by **destiny**





PREMIER



R.1







R.1


BOSTON





R.1

DALLAS 



GRAVITY



R.1







R.1

MIAMI 





R.1

RENO 



R.2

CINZIA



R.2



R.2




CRISNATUR



R.1

LINEN



R.1







R.1

MOSS 



SILVER



R.1



R.001

STRIPE





R.001



VALENTI



R.1



R.1



R.1

VENICE 



R.1

ADAGIO





R.3



R.2

CRISMETAL ELIO 



IDEAT
IDEAT
IDEAT





R.13



R.47

ELEGANCE 



R.1



R.1

ELIO 



R.004


GLAMOUR 



R.004



R.1



R.1

HOLI 



R.1



R.1



R.31

NATURAL 





R.2



R.2

PATTI 



ROMANCE



R.001



BOSTON		DALLAS		GRAVITY
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	51,50%	35,00%	
	Peso / Weight / Poids / Peso	80 gr/m ²	70 gr/m ²	102,5 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,25 mm	0,19 mm	0,32 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			Warp urd-32 -weft- trma 13
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>4 grade	>4 grade	>4 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma			
	Ancho / Width / Laize / Larghezza	245 cm	245 cm	260 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				

MIAMI		PREMIER		RENO
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	24,00%	7,00%	35,00%
	Peso / Weight / Poids / Peso	185 gr/m ²	105 gr/m ²	70 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	1,20 mm	0,43 mm	0,19 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione		Warp urd-137 -weft- trma 142	
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>4 grade	>4 grade	>4 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		Clase1	
	Ancho / Width / Laize / Larghezza	260 cm	280 cm	275 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				



		CINZIA	CRISNATUR	LINEN
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	80% Pes - 20% Li
	Transmitancia / Transmittance / Transmission / Trasmittanza		12,20%	
	Peso / Weight / Poids / Peso	170,8 gr/m ²	174 gr/m ²	115 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,48 mm	0,48 mm	0,33 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce		3 grade	>4 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		Nfpa 701	
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	245 cm
Mantenimiento / Maintenance / Maintient / Manutenzione		    		

		MOSS	SILVER	STRIPE
	Composición / Composition / Composition / Composizione	100% Pes	90,5% Pes - 9,5% Metallized fibre	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza		41,60%	84% - 25%
	Peso / Weight / Poids / Peso	80 gr/m ²	92,5 gr/m ²	99,1 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,32 mm	0,34 mm	0,86 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			129,9 - 1632,9
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>4 grade	4 grade	>5 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma			Nfpa 701
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione		     		


VALENTI		VENICE	
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza		
	Peso / Weight / Poids / Peso	162 gr/m ²	146,1 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,46 mm	0,46 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione		
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce		
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		
	Ancho / Width / Laize / Larghezza	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione		    	



		ADAGIO	CRISMETAL ELIO	ELEGANCE	ELIO
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza		42,60%		42,60%
	Peso / Weight / Poids / Peso	109 gr/m ²	95 gr/m ²	166 gr/m ²	95 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,33 mm	0,30 mm	0,65 mm	0,30 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione				
	Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce		4 grade	5 grade	4 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma				
	Ancho / Width / Laize / Larghezza	280 cm	275 cm	280 cm	275 cm
Mantenimiento / Maintenance / Maintient / Manutenzione					


		GLAMOUR	HOLI	IRIDE
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	84,00%		
	Peso / Weight / Poids / Peso	136 gr/m ²	109,6 gr/m ²	133 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	1 mm	0,34 mm	0,52 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			
	Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce	5 grade		
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma	Nfpa 701		
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				

		NATURAL	PATTI	ROMANCE
	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	22,90%		84% - 25%
	Peso / Weight / Poids / Peso	166 gr/m ²	120,5 gr/m ²	189 gr/m ²
	Espesor / Thickness / Épaisseur / Spessore	0,65 mm	0,42 mm	0,24 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			
	Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce	5 grade		5 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma	Nfpa 701		
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				



GLAMOUR

by **destiny**





destiny

destinyanddesign.com

